



MILAN Analytica AG
 Baslerstrasse 15
 4310 Rheinfelden
 Switzerland
www.milananalytica.ch
info@milananalytica.ch

Allergology product list

Please ask for more information under info@milananalytica.ch

Scientific name	English name	Specific allergen
<i>Acacia longifolia</i>	Acacia	
<i>Acacia spp.</i>	Gum arabic (E414)	
<i>Acarus siro</i>	Storage mite	
<i>Acer negundo</i>	Box-elder	
<i>Acremonium kiliense</i>		
<i>Actinidia deliciosa</i>	Kiwi	nAct d 1
<i>Actinidia deliciosa</i>	Kiwi, thaumatin-like protein	nAct d 2
<i>Actinidia deliciosa</i>	Kiwi	nAct d 5
<i>Actinidia deliciosa</i>	Kiwi, PR-10 protein	rAct d 8
<i>Actinidia deliciosa</i>	Kiwi	
<i>Aedes communis</i>	Mosquito	
<i>Aesculus hippocastanum</i>	Horse chestnut	
<i>Agaricus hortensis</i>	Mushroom (champignon)	
<i>Agrostis stolonifera</i>	Redtop, bentgrass	
<i>Alces spp.</i>	Elk/moose meat	
<i>Allium cepa</i>	Onion	
<i>Allium sativum</i>	Garlic	
<i>Alnus glutinosa</i>	Alder, PR-10 protein	rAln g 1
<i>Alnus incana</i>	Grey alder	
<i>Alopecurus pratensis</i>	Meadow foxtail	
<i>Alternaria alternata</i>		rAlt a 1
<i>Alternaria alternata</i>	Enolase	rAlt a 6
<i>Alternaria alternata</i>		
<i>Amaranthus palmeri</i>	Careless weed	
<i>Amaranthus retroflexus</i>	Common pigweed	
<i>Ambrosia artemisiifolia (A. elatior)</i>	Common ragweed	nAmb a 1
<i>Ambrosia artemisiifolia (A. elatior)</i>	Common ragweed	
<i>Ambrosia psilostachya</i>	Western ragweed	
<i>Ambrosia trifida</i>	Giant ragweed	
<i>Amygdalus communis</i>	Almond	
<i>Anacardium occidentale</i>	Cashew nut, storage protein, 11S globulin	rAna o 2

<i>Anacardium occidentale</i>	Cashew nut	rAna o 3
<i>Anacardium occidentale</i>	Cashew nut	
<i>Ananas comosus</i>	Pineapple, bromelain	nAna c 2
<i>Ananas comosus</i>	Pineapple	
<i>Anas platyrhynca</i>	Duck feathers	
<i>Anethum graveolens</i>	Dill	
<i>Anguilla anguilla</i>	Eel	
<i>Anisakis simplex</i>	Anisakis, serine protease inhibitor	rAni s 1
<i>Anisakis simplex</i>	Anisakis, tropomyosin	rAni s 3
<i>Anisakis spp.</i>	Anisakis	
<i>Anser anser</i>	Goose feathers	
<i>Anthoxanthum odoratum</i>	Sweet vernal grass	
<i>Apis mellifera</i>	Honey bee, melittin	nApi m 4
<i>Apis mellifera</i>	Honey bee, phospholipase A2	rApi m 1
<i>Apis mellifera</i>	Honey bee, icarapin	rApi m 10
<i>Apis mellifera</i>	Honey bee, hyaluronidase	rApi m 2
<i>Apis mellifera</i>	Honey bee, acid phosphatase	rApi m 3
<i>Apis mellifera</i>	Honey bee, dipeptidyl peptidase	rApi m 5
<i>Apis mellifera</i>	Honey bee	
<i>Apium graveolens</i>	Celery, PR-10 protein	rApi g 1.01
<i>Apium graveolens</i>	Celery	
<i>Ara spp.</i>	Parrot feathers	
<i>Ara spp.</i>	Parrot serum proteins, feathers and droppings	
<i>Arachis hypogaea</i>	Peanut, storage protein, 2S albumin	nAra h 6
<i>Arachis hypogaea</i>	Peanut, storage protein, 7S globulin	rAra h 1
<i>Arachis hypogaea</i>	Peanut, storage protein, 2S albumin	rAra h 2
<i>Arachis hypogaea</i>	Peanut, storage protein, 11S globulin	rAra h 3
<i>Arachis hypogaea</i>	Peanut	rAra h 6
<i>Arachis hypogaea</i>	Peanut, PR-10 protein	rAra h 8
<i>Arachis hypogaea</i>	Peanut, LTP	rAra h 9
<i>Arachis hypogaea</i>	Peanut	
<i>Arecastrum romanzoffianum</i>	Queen palm	
<i>Arrhenatherum elatius</i>	False oat-grass	
<i>Artemia salina</i>		
<i>Artemisia absinthium</i>	Wormwood	
<i>Artemisia dracunculus</i>	Tarragon	
<i>Artemisia vulgaris</i>	Mugwort	nArt v 1
<i>Artemisia vulgaris</i>	Mugwort, LTP	nArt v 3
<i>Artemisia vulgaris</i>	Mugwort	
<i>Artocarpus heterophyllus</i>	Jack fruit	
<i>Ascaris lumbricoides</i>	Ascaris (common roundworm)	
<i>Asparagus officinalis</i>	Asparagus	
<i>Aspergillus flavus</i>		
<i>Aspergillus fumigatus</i>		rAsp f 1
<i>Aspergillus fumigatus</i>		rAsp f 2
<i>Aspergillus fumigatus</i>		rAsp f 3
<i>Aspergillus fumigatus</i>		rAsp f 4

<i>Aspergillus fumigatus</i>	Mn superoxide dismutase	rAsp f 6
<i>Aspergillus fumigatus</i>		
<i>Aspergillus niger</i>	Black mold	
<i>Aspergillus oryzae</i>	alpha-amylase	nAsp o 21
<i>Aspergillus terreus</i>		
<i>Aspergillus versicolor</i>		
<i>Astacus astacus</i>	Crayfish	
<i>Astragalus spp.</i>	Tragacanth (E413)	
<i>Atriplex lentiformis</i>	Scale, lenscale	
<i>Aureobasidium pullulans</i>		
<i>Avena sativa</i>	Cultivated oat	
<i>Avena sativa</i>	Oat	
<i>Averrhoa carambola</i>	Carambola	
<i>Bacillus spp.</i>	Savinase	
<i>Bertholletia excelsa</i>	Brazil nut, storage protein, 2S albumin	rBer e 1
<i>Bertholletia excelsa</i>	Brazil nut	
<i>Beta vulgaris</i>	Sugar-beet	
<i>Beta vulgaris</i>	Sugar-beet seed	
<i>Beta vulgaris craca</i>	Beetroot	
<i>Betula verrucosa</i>	Birch, PR-10 protein	rBet v 1
<i>Betula verrucosa</i>	Birch, profilin	rBet v 2
<i>Betula verrucosa</i>	Birch	rBet v 2, rBet v 4
<i>Betula verrucosa</i>	Birch, polcalcin	rBet v 4
<i>Betula verrucosa</i>	Birch	rBet v 6
<i>Betula verrucosa</i>	Birch	
<i>Blattella germanica</i>	Cockroach, german	
<i>Blatta orientalis</i>	Cockroach, oriental	
<i>Blattella germanica</i>	Cockroach, german, tropomyosin	nBla g 7
<i>Blattella germanica</i>	Cockroach, german	rBla g 1
<i>Blattella germanica</i>	Cockroach, german	rBla g 2
<i>Blattella germanica</i>	Cockroach, german	rBla g 5
<i>Blomia tropicalis</i>	House dust mite	rBlo t 5
<i>Blomia tropicalis</i>	House dust mite	
<i>Bombus terrestris</i>	Bumblebee	
<i>Bombyx mori</i>	Moth	
<i>Bombyx mori</i>	Silk	
<i>Bos domesticus</i>	Cow's milk, alpha-lactalbumin	nBos d 4
<i>Bos domesticus</i>	Cow's milk, beta-lactoglobulin	nBos d 5
<i>Bos domesticus</i>	Cow's milk and meat, serum albumin	nBos d 6
<i>Bos domesticus</i>	Cow's milk, casein	nBos d 8
<i>Bos domesticus</i>	Cow's milk, transferrin	nBos d lactoferrin
<i>Bos spp.</i>	Cow's milk, alpha-lactalbumin	nBos d 4
<i>Bos spp.</i>	Cow's milk, beta-lactoglobulin	nBos d 5
<i>Bos spp.</i>	Cow, serum albumin	nBos d 6
<i>Bos spp.</i>	Cow's milk, casein	nBos d 8
<i>Bos spp.</i>	Beef	
<i>Bos spp.</i>	Cow's whey	
<i>Bos spp.</i>	Milk	



<i>Bos spp.</i>	Milk, boiled	
<i>Bos taurus</i>	Cow dander	
<i>Botrytis cinerea</i>	Gray mold	
<i>Bougainvillea spp.</i>	Bougainvillea	
<i>Brassica napus</i>	Rape	
<i>Brassica napus</i>	Rape seed	
<i>Brassica oleracea var. botrytis</i>	Cauliflower	
<i>Brassica oleracea var. capitata</i>	Cabbage	
<i>Brassica oleracea var. gemmifera</i>	Brussel sprouts	
<i>Brassica oleracea var. italica</i>	Broccoli	
<i>Brassica/Sinapis spp.</i>	Mustard	
<i>Bromus inermis</i>	Brome grass	
<i>Camellia sinensis</i>	Tea	
<i>Candida albicans</i>		
<i>Canis familiaris</i>	Dog, serum albumin	nCan f 3
<i>Canis familiaris</i>	Dog, lipocalin	rCan f 1
<i>Canis familiaris</i>	Dog, lipocalin	rCan f 2
<i>Canis familiaris</i>	Dog, arginine esterase	rCan f 5
<i>Canis familiaris</i>	Dog dander	
<i>Capra hircus</i>	Goat epithelium	
<i>Capra hircus</i>	Goat's milk	
<i>Capsicum annuum</i>	Paprika, sweet pepper	
<i>Capsicum frutescens</i>	Chilipepper	
<i>Carica papaya</i>	Papaya, papain	nCar p 1
<i>Carica papaya</i>	Papaya	
<i>Carpinus betulus</i>	Horn beam	
<i>Carum carvi</i>	Caraway	
<i>Carya illinoensis</i>	Pecan nut	
<i>Carya pecan</i>	Pecan, hickory	
<i>Carya tomentosa (syn. C. alba)</i>	White hickory	
<i>Castanea sativa</i>	Sweet chestnut	
<i>Casuarina equisetifolia</i>	Australian pine	
<i>Cavia porcellus</i>	Guinea pig epithelium	
<i>Celtis occidentalis</i>	Hackberry	
<i>Ceratonia siliqua</i>	Carob (E410)	
<i>Chaetomium globosum</i>		
<i>Chenopodium album</i>	Goosefoot, lamb's quarters	rChe a 1
<i>Chenopodium album</i>	Goosefoot, lamb's quarters	
<i>Chenopodium quinoa</i>	Quinoa	
<i>Chinchilla laniger</i>	Chinchilla epithelium	
<i>Chionoecetes spp.</i>	Crab	
<i>Chironomus thummi (C. riparius)</i>	Blood worm	
<i>Chrysanthemum leucanthemum</i>	Marguerite, ox-eye daisy	
<i>Cicer arietinus</i>	Chick pea	
<i>Cinnamomum spp.</i>	Cinnamon	
<i>Citrullus lanatus</i>	Watermelon	
<i>Citrus aurantifolia</i>	Lime	
<i>Citrus limon</i>	Lemon	

<i>Citrus paradisi</i>	Grapefruit	
<i>Citrus reticulata</i>	Mandarin (tangerine, clementine, satsumas)	
<i>Citrus sinensis</i>	Orange	
<i>Cladosporium cladosporioides</i>		
<i>Cladosporium herbarum</i>		rCla h 8
<i>Cladosporium herbarum</i>		
<i>Cladotanytarsus Lewisii</i>	Green nimitti	
<i>Clupea harengus</i>	Herring	
<i>Cocos nucifera</i>	Coconut	
<i>Coffea spp.</i>	Coffee	
<i>Coffea spp.</i>	Green coffee bean	
<i>Coriandrum sativum</i>	Coriander	
<i>Corylus avellana</i>	Hazelnut, storage protein, 11S globulin	nCor a 9
<i>Corylus avellana</i>	Hazelnut, PR-10 protein	rCor a 1
<i>Corylus avellana</i>	Hazel pollen, PR-10 protein	rCor a 1.0101
<i>Corylus avellana</i>	Hazelnut, PR-10 protein	rCor a 1.0401
<i>Corylus avellana</i>	Hazelnut	rCor a 14
<i>Corylus avellana</i>	Hazelnut, LTP	rCor a 8
<i>Corylus avellana</i>	Hazel	
<i>Corylus avellana</i>	Hazelnut	
<i>Coryphaena hippurus</i>	Mahi mahi	
<i>Cricetus cricetus, Mesocricetus auratus, Phodopus sungorus</i>	Hamster epithelium	
<i>Crocus sativus</i>	Saffron	
<i>Cryptomeria japonica</i>	Japanese cedar	nCry j 1
<i>Cryptomeria japonica</i>	Japanese cedar	
<i>Cucumis melo spp.</i>	Melon	
<i>Cucumis sativus</i>	Cucumber	
<i>Cucurbita pepo</i>	Pumpkin	
<i>Cucurbita pepo</i>	Pumpkin seed	
<i>Cupressus arizonica</i>	Cypress	nCup a 1
<i>Cupressus arizonica</i>	Cypress	
<i>Cupressus sempervirens</i>	Italian/mediterranean/funeral cypress	
<i>Curvularia lunata</i>		
<i>Cyamopsis tetragonolobus</i>	Guar, guar gum (E412)	
<i>Cynodon dactylon</i>	Bermuda grass, grass group 1	nCyn d 1
<i>Cynodon dactylon</i>	Bermuda grass	
<i>Cyprinus carpio</i>	Carp	rCyp c 1
<i>Cytisus scoparius</i>	Scotch broom	
<i>Dactylis glomerata</i>	Cocksfoot	
<i>Dactylopius coccus</i>	Cochineal extract (carmine red) (E120)	
<i>Daphnia spp.</i>	Daphnia	
<i>Daucus carota</i>	Carrot	
<i>Dermatophagoides farinae</i>	House dust mite	nDer f 1
<i>Dermatophagoides farinae</i>	House dust mite	rDer f 2
<i>Dermatophagoides farinae</i>	House dust mite	
<i>Dermatophagoides microceras</i>	House dust mite	

<i>Dermatophagoides pteronyssinus</i>	House dust mite	nDer p 1
<i>Dermatophagoides pteronyssinus</i>	House dust mite	rDer p 1
<i>Dermatophagoides pteronyssinus</i>	House dust mite, tropomyosin	rDer p 10
<i>Dermatophagoides pteronyssinus</i>	House dust mite	rDer p 2
<i>Dermatophagoides pteronyssinus</i>	House dust mite	rDer p 23
<i>Dermatophagoides pteronyssinus</i>	House dust mite	
<i>Diospyros kaki</i>	Persimon (kaki fruit, sharon)	
<i>Distichlis spicata</i>	Salt grass	
<i>Dolichovespula arenaria</i>	Yellow hornet	
<i>Dolichovespula maculata</i>	White-faced hornet	
<i>Echinochloa crus-galli</i>	Japanese millet	
<i>Elaeagnus angustifolia</i>	Russian olive	
<i>Elaeis guineensis</i>	Oil palm	
<i>Elettaria cardamomum</i>	Cardamon	
<i>Elymus triticoides</i>	Wild rye grass	
<i>Engraulis encrasicolus</i>	Anchovy	
<i>Ephestia (syn. Anagasta) kuehniella</i>	Mediterranean flour moth	
<i>Epicoccum purpurascens</i>		
<i>Epinephelus spp.</i>	Groupers	
<i>Equus caballus</i>	Horse, serum albumin	nEqu c 3
<i>Equus caballus</i>	Horse, lipocalin	rEqu c 1
<i>Equus caballus</i>	Horse dander	
<i>Equus caballus</i>	Horse, serum proteins	
<i>Equus spp.</i>	Mare's milk	
<i>Eucalyptus spp.</i>	Eucalyptus, gum-tree	
<i>Eupatorium capillifolium</i>	Dog fennel	
<i>Euroglyphus maynei</i>	House dust mite	
<i>Fagopyrum esculentum</i>	Buckwheat, storage protein, 2S albumin	nFag e 2
<i>Fagopyrum esculentum</i>	Buckwheat	
<i>Fagus grandifolia</i>	American beech	
<i>Felis domesticus</i>	Cat, uteroglobin	rFel d 1
<i>Felis domesticus</i>	Cat, serum albumin	rFel d 2
<i>Felis domesticus</i>	Cat, lipocalin	rFel d 4
<i>Felis domesticus</i>	Cat dander	
<i>Festuca elatior</i>	Meadow fescue	
<i>Ficus carica</i>	Fig	
<i>Ficus spp.</i>	Ficus	
<i>Foeniculum vulgare</i>	Fennel seed	
<i>Foeniculum vulgare</i>	Fennel, fresh	
<i>Fragaria vesca</i>	Strawberry	
<i>Franseria acanthicarpa</i>	False ragweed	
<i>Fraxinus americana</i>	White ash	
<i>Fraxinus excelsior</i>	European ash	
<i>Fusarium proliferatum (F. moniliforme)</i>		
<i>Gadus callarias</i>	Cod, parvalbumin	rGad c 1
<i>Gadus morhua</i>	Cod	rGad c 1
<i>Gadus morhua</i>	Cod	
<i>Gallus domesticus</i>	Egg white, Ovomuroid	nGal d 1

<i>Gallus domesticus</i>	Egg white, Ovalbumin	nGal d 2
<i>Gallus domesticus</i>	Egg white, Conalbumin/Ovotransferrin	nGal d 3
<i>Gallus domesticus</i>	Egg yolk/chicken meat, livetin/serum albumin	nGal d 5
<i>Gallus domesticus</i>	Chicken droppings	
<i>Gallus domesticus</i>	Chicken feathers	
<i>Gallus domesticus</i>	Chicken, serum proteins	
<i>Gallus spp.</i>	Egg, Ovomucoid	nGal d 1
<i>Gallus spp.</i>	Egg, Ovalbumin	nGal d 2
<i>Gallus spp.</i>	Egg, Conalbumin	nGal d 3
<i>Gallus spp.</i>	Egg, lysozyme	nGal d 4
<i>Gallus spp.</i>	Chicken	
<i>Gallus spp.</i>	Egg	
<i>Gallus spp.</i>	Egg white	
<i>Gallus spp.</i>	Egg yolk	
<i>Glycine max</i>	Soybean, storage protein, beta-conglycinin	nGly m 5
<i>Glycine max</i>	Soybean, storage protein, glycinin	nGly m 6
<i>Glycine max</i>	Soybean, PR-10 protein	rGly m 4
<i>Glycine max</i>	Soybean	
<i>Glycyphagus domesticus</i>	Storage mite	
<i>Gossypium hirsutum</i>	Cotton seed	
<i>Gossypium hirsutum</i>	Cotton, crude fibers	
<i>Haliotis spp.</i>	Abalone	
<i>Helianthus annuus</i>	Sunflower	
<i>Helianthus annuus</i>	Sunflower seed	
<i>Helix aspersa</i>	Snail	
<i>Hevea brasiliensis</i>	Latex	rHev b 1
<i>Hevea brasiliensis</i>	Latex	rHev b 11
<i>Hevea brasiliensis</i>	Latex	rHev b 3
<i>Hevea brasiliensis</i>	Latex	rHev b 5
<i>Hevea brasiliensis</i>	Latex	rHev b 6.01
<i>Hevea brasiliensis</i>	Latex	rHev b 6.02
<i>Hevea brasiliensis</i>	Latex, profilin	rHev b 8
<i>Hevea brasiliensis</i>	Latex	
<i>Hippoglossus hippoglossus</i>	Halibut	
<i>Holcus lanatus</i>	Velvet grass	
<i>Homarus gammarus</i>	Lobster	
<i>Hoplostethus atlanticus</i>	Orange roughy	
<i>Hordeum vulgare</i>	Barley	
<i>Hordeum vulgare</i>	Malt	
<i>Humulus lupulus</i>	Hop (fruit cone)	
<i>Humulus scandens</i>	Japanese hop	
<i>Ictalurus punctatus</i>	Cat fish	
<i>Ipomea batatas</i>	Sweet potato	
<i>Iva ciliata</i>	Rough marshelder	
<i>Juglans californica</i>	Walnut	
<i>Juglans regia</i>	Walnut, storage protein, 7S globulin	nJug r 2

<i>Juglans regia</i>	Walnut, LTP	nJug r 3
<i>Juglans regia</i>	Walnut, storage protein, 2S albumin	rJug r 1
<i>Juglans regia</i>	Walnut, LTP	rJug r 3
<i>Juglans spp.</i>	Walnut	
<i>Juniperus sabinoides</i>	Mountain juniper	
<i>Juniperus virginiana</i>	Red cedar	
<i>Kochia scoparia</i>	Firebush (kochia)	
<i>Lactuca sativa</i>	Lettuce	
<i>Lathyrus sativus</i>	Blue vetch	
<i>Laurus nobilis</i>	Bay leaf	
<i>Lens esculenta</i>	Lentil	
<i>Lepidoglyphus destructor</i>	Storage mite	rLep d 2
<i>Lepidoglyphus destructor</i>	Storage mite	
<i>Lepidorrhombus whiffiagonis</i>	Megrim	
<i>Levisticum officinale</i>	Lovage	
<i>Libocedrus decurrens</i>	Cedar	
<i>Ligustrum vulgare</i>	Privet	
<i>Linum usitatissimum</i>	Linseed	
<i>Liquidambar styraciflua</i>	Sweet gum	
<i>Litchi chinensis</i>	Litchi	
<i>Loligo spp.</i>	Squid	
<i>Lolium perenne</i>	Rye-grass	
<i>Lonchura domestica</i>	Finch feathers	
<i>Lupinus albus</i>	Lupin seed	
<i>Lupinus spp.</i>	Lupin	
<i>Lutjanus campechanus</i>	Red snapper	
<i>Lycopersicon lycopersicum</i>	Tomato	
<i>Macadamia spp.</i>	Macadamia nut	
<i>Malassezia spp.</i>		
<i>Malus domestica</i>	Apple, PR-10 protein	rMal d 1
<i>Malus domestica</i>	Apple, LTP	rMal d 3
<i>Malus x domestica</i>	Apple	
<i>Mangifera indica</i>	Mango	
<i>Matricaria chamomilla</i>	Camomile	
<i>Medicago sativa</i>	Alfalfa	
<i>Melaleuca leucadendron</i>	Melaleuca, cajeput-tree	
<i>Melanogrammus aeglefinus</i>	Haddock	
<i>Meleagris gallopavo</i>	Turkey feathers	
<i>Meleagris gallopavo</i>	Turkey meat	
<i>Melopsittacus undulatus</i>	Budgerigar droppings	
<i>Melopsittacus undulatus</i>	Budgerigar feathers	
<i>Melopsittacus undulatus</i>	Budgerigar serum proteins, feathers and droppings	
<i>Mentha piperita</i>	Mint	
<i>Mercurialis annua</i>	Annual mercury, profilin	rMer a 1
<i>Meriones unguiculatus</i>	Gerbil epithelium	
<i>Merluccius merluccius</i>	Hake	
<i>Micropolyspora faeni</i>		

<i>Morus alba</i>	Mulberry	
<i>Morus rubra</i>	Red mulberry	
<i>Mucor racemosus</i>		
<i>Mus musculus</i>	Mouse, lipocalin	nMus m 1
<i>Mus spp.</i>	Mouse epithelium	
<i>Mus spp.</i>	Mouse epithelium, serum proteins and urine proteins	
<i>Mus spp.</i>	Mouse serum proteins	
<i>Mus spp.</i>	Mouse urine proteins	
<i>Musa spp.</i>	Banana	
<i>Mustela putorius</i>	Ferret epithelium	
<i>Mustela spp.</i>	Mink epithelium	
<i>Myrica cerifera</i>	Bayberry	
<i>Myristica fragrans</i>	Mace	
<i>Myristica fragrans</i>	Nutmeg	
<i>Mytilus edulis</i>	Blue mussel	
<i>Ocimum basilicum</i>	Basil	
<i>Octopus vulgaris</i>	Octopus	
<i>Olea europaea</i>	Olive, LTP	nOle e 7
<i>Olea europaea</i>	Olive	rOle e 1
<i>Olea europaea</i>	Olive	rOle e 9
<i>Olea europaea</i>	Olive	
<i>Olea europaea</i>	Olive (black, fresh)	
<i>Oncorhynchus mykiss (Salmo gairdneri)</i>	Trout	
<i>Oreochromis spp.</i>	Tilapia	
<i>Origanum majorana</i>	Marjoram	
<i>Origanum vulgare</i>	Oregano	
<i>Oryctolagus cuniculus</i>	Rabbit epithelium	
<i>Oryctolagus cuniculus</i>	Rabbit, serum proteins	
<i>Oryctolagus cuniculus</i>	Rabbit, urine proteins	
<i>Oryctolagus spp.</i>	Rabbit	
<i>Oryza sativa</i>	Rice	
<i>Ostrea edulis</i>	Oyster	
<i>Ovis spp.</i>	Mutton	
<i>Ovis spp.</i>	Sheep epithelium	
<i>Ovis spp.</i>	Sheep's milk	
<i>Ovis spp.</i>	Sheep's whey	
<i>Palinurus spp.</i>	Langust (spiny lobster)	
<i>Pandalus borealis, Penaeus monodon, Metapenaeopsis barbata, Metapenaeus joyneri</i>	Shrimp	
<i>Panicum milliaceum</i>	Common millet	
<i>Papaver somniferum</i>	Poppy seed	
<i>Paralichthys albigutta</i>	Gulf flounder	
<i>Parietaria judaica</i>	Wall pellitory, LTP	rPar j 2
<i>Parietaria judaica</i>	Wall pellitory	
<i>Parietaria officinalis</i>	Wall pellitory	
<i>Paspalum notatum</i>	Bahia grass	

<i>Passiflora edulis</i>	Passion fruit	
<i>Pecten spp.</i>	Scallop	
<i>Penaeus aztecus</i>	Shrimp, tropomyosin	rPen a 1
<i>Penaeus monodon</i>	Shrimp, tropomyosin	nPen m 1
<i>Penaeus monodon</i>	Shrimp, arginine kinase	nPen m 2
<i>Penaeus monodon</i>	Shrimp, sarcoplasmic Ca-binding protein	nPen m 4
<i>Penicillium chrysogenum (P. notatum)</i>		
<i>Penicillium glabrum</i>		
<i>Penicillium spp.</i>		
<i>Periplaneta americana</i>	Cockroach, american	
<i>Persea americana</i>	Avocado	
<i>Petroselinum crispum</i>	Parsley	
<i>Phalaris arundinacea</i>	Canary grass	
<i>Phaseolus lunatus</i>	Lima bean	
<i>Phaseolus vulgaris</i>	Green bean	
<i>Phaseolus vulgaris</i>	Red kidney bean	
<i>Phaseolus vulgaris</i>	White bean	
<i>Phleum pratense</i>	Timothy	nPhl p 4
<i>Phleum pratense</i>	Timothy, grass group 1	rPhl p 1
<i>Phleum pratense</i>	Timothy	rPhl p 1, rPhl p 5b
<i>Phleum pratense</i>	Timothy	rPhl p 11
<i>Phleum pratense</i>	Timothy, profilin	rPhl p 12
<i>Phleum pratense</i>	Timothy, grass group 2	rPhl p 2
<i>Phleum pratense</i>	Timothy, grass group 5	rPhl p 5b
<i>Phleum pratense</i>	Timothy	rPhl p 6
<i>Phleum pratense</i>	Timothy, polcalcin	rPhl p 7
<i>Phleum pratense</i>	Timothy	rPhl p 7, rPhl p 12
<i>Phleum pratense</i>	Timothy grass	
<i>Phoenix canariensis</i>	Date	
<i>Phoenix dactylifera</i>	Date	
<i>Phoma betae</i>		
<i>Phragmites communis</i>	Common reed	
<i>Phyllostachys pubescens</i>	Bamboo shoot	
<i>Picea excelsa</i>	Spruce	
<i>Pimenta dioica</i>	Allspice	
<i>Pimpinella anisum</i>	Anise	
<i>Pinus edulis</i>	Pine nut, pignoles	
<i>Pinus radiata</i>	Pine	
<i>Pinus strobus</i>	White pine	
<i>Piper nigrum</i>	Black pepper	
<i>Piper nigrum</i>	Green pepper (unripe seed)	
<i>Pistacia vera</i>	Pistachio	
<i>Pisum sativum</i>	Pea	
<i>Pityrosporum orbiculare (syn. Malassezia)</i>		
<i>Plantago lanceolata</i>	Plantain (english), ribwort	rPla I 1
<i>Plantago lanceolata</i>	Plantain (english), ribwort	
<i>Plantago psyllium/Plantago ovata</i>	Ispaghula	
<i>Platanus acerifolia</i>	Maple leaf sycamore, london plane	nPla a 2



<i>Platanus acerifolia</i>	Maple leaf sycamore, london plane	rPla a 1
<i>Platanus acerifolia</i>	Maple leaf sycamore, london plane, LTP	rPla a 3
<i>Platanus acerifolia</i>	Maple leaf sycamore, london plane	
<i>Pleuronectes platessa</i>	Plaice	
<i>Poa pratensis</i>	Meadow grass, kentucky blue	
<i>Polistes dominulus</i>	European paper wasp, venom, antigen 5	rPol d 5
<i>Polistes dominulus</i>	European paper wasp	
<i>Polistes spp.</i>	Paper wasp	
<i>Pollachius virens</i>	Pollock	
<i>Populus deltoides</i>	Cottonwood	
<i>Prosopis juliflora</i>	Mesquite	
<i>Prunus armeniaca</i>	Apricot	
<i>Prunus avium</i>	Cherry	
<i>Prunus domestica</i>	Plum	
<i>Prunus persica</i>	Peach, PR-10 protein	rPru p 1
<i>Prunus persica</i>	Peach, LTP	rPru p 3
<i>Prunus persica</i>	Peach, profilin	rPru p 4
<i>Prunus persica</i>	Peach	
<i>Pseudotsuga taxifolia</i>	Douglas fir	
<i>Psidium guajava</i>	Guava	
<i>Pyrus communis</i>	Pear	
<i>Quercus alba</i>	Oak	
<i>Quercus virginiana</i>	Virginia live oak	
<i>Rattus norvegicus</i>	Rat epithelium	
<i>Rattus norvegicus</i>	Rat epithelium, serum proteins and urine proteins	
<i>Rattus norvegicus</i>	Rat serum proteins	
<i>Rattus norvegicus</i>	Rat urine proteins	
<i>Rhizopus nigricans</i>		
<i>Ribes sylvestre</i>	Red currant	
<i>Ricinus communis</i>	Castor bean	
<i>Rosa spp.</i>	Rose hip	
<i>Rubus fruticosus</i>	Blackberry	
<i>Rubus idaeus</i>	Raspberry	
<i>Ruditapes spp.</i>	Clam	
<i>Rumex acetosella</i>	Sheep sorrel	
<i>Rumex crispus</i>	Yellow dock	
<i>Saccharomyces cerevisiae</i>	Yeast	
<i>Salix caprea</i>	Willow	
<i>Salmo salar</i>	Salmon	
<i>Salsola kali</i>	Saltwort	nSal k 1
<i>Salsola kali (pestifer)</i>	Saltwort (prickly), russian thistle	
<i>Salvia officinalis</i>	Sage	
<i>Sambucus nigra</i>	Elder	
<i>Sander vitreus (Stizostedion vitreum)</i>	Walleye pike	
<i>Sardina pilchardus</i>	Sardine (pilchard)	
<i>Sardinops melanosticta</i>	Sardine, japanese pilchard	
<i>Schinus molle</i>	Peppertree	



<i>Scomber japonicus</i>	Chub mackerel	
<i>Scomber scombrus</i>	Mackerel	
<i>Secale cereale</i>	Cultivated rye	
<i>Secale cereale</i>	Rye	
<i>Serinus canarius</i>	Canary bird droppings	
<i>Serinus canarius</i>	Canary bird feathers	
<i>Sesamum indicum</i>	Sesame seed, storage protein, 2S albumin	rSes i 1
<i>Sesamum indicum</i>	Sesame seed	
<i>Setaria italica</i>	Foxtail millet	
<i>Setomelanomma rostrata</i> (<i>Helminthosporium halodes</i>)		
<i>Solanum melongena</i>	Aubergine, eggplant	
<i>Solanum tuberosum</i>	Potato	
<i>Solea solea</i>	Sole	
<i>Solenopsis invicta</i>	Fire ant	
<i>Solidago virgaurea</i>	Goldenrod	
<i>Sorghum halepense</i>	Johnson grass	
<i>Spinachia oleracea</i>	Spinach	
<i>Stachybotrys atra</i>	Toxic black mold	
<i>Stemphylium herbarum</i> (<i>S. botryosum</i>)		
<i>Stenodus spp.</i>	Whitefish (inconnu)	
<i>Streptopelia spp.</i>	Pigeon feathers	
<i>Streptopelia spp.</i>	Pigeon serum proteins	
<i>Streptopelia spp.</i>	Pigeon serum proteins, feathers and droppings	
<i>Sus scrofa</i>	Pig serum albumin, swine	nSus s
<i>Sus scrofa</i>	Swine, pepsin	nSus s
<i>Sus scrofa</i>	Swine epithelium	
<i>Sus scrofa</i>	Swine, urine proteins	
<i>Sus spp.</i>	Pork	
<i>Syzygium aromaticum</i>	Clove	
<i>Tabanus spp.</i>	Horse fly	
<i>Taraxacum vulgare</i>	Dandelion	
<i>Taxodium distichum</i>	Bald cypress	
<i>Tenebrio molitor</i>	Mealworm	
<i>Theobroma cacao</i>	Cacao	
<i>Thermoactinomyces vulgaris</i>		
<i>Thunnus albacares</i>	Tuna	
<i>Thymus vulgaris</i>	Thyme	
<i>Tilia cordata</i>	Linden	
<i>Tilletia tritici</i>		
<i>Todarodes pacificus</i>	Pacific squid	
<i>Trachurus japonicus</i>	Jack mackerel, scad	
<i>Tribolium confusum</i>	Confused flour beetle	
<i>Trichoderma viride</i>		
<i>Trichophyton mentagrophytes var. goetzii</i>		
<i>Trichophyton mentagrophytes var.</i>		

interdigitale

<i>Trichophyton rubrum</i>		
<i>Trichosporon pullulans</i>		
<i>Trigonella foenum-graecum</i>	Fenugreek	
<i>Triplochiton scleroxylon</i>	Abachi wood dust	
<i>Triticum aestivum</i>	Wheat, alpha-amylase/trypsin inhibitor	nTri a aA/TI
<i>Triticum aestivum</i>	Wheat, LTP	rTri a 14
<i>Triticum aestivum</i>	Wheat, omega-5 gliadin	rTri a 19
<i>Triticum aestivum</i>	Wheat, omega-5 gliadin	rTri a 19.0101
<i>Triticum aestivum</i>	Cultivated wheat	
<i>Triticum aestivum</i>	Wheat	
<i>Triticum spelta</i>	Spelt wheat	
<i>Triticum spp.</i>	Wheat, omega-5 gliadin	rTri a 19
<i>Trogoderma angustum (solier)</i>	Berlin beetle	
<i>Tyrophagus putrescentiae</i>	Storage mite	
<i>Ulmus americana</i>	Elm	
<i>Ulmus crassifolia</i>	Cedar elm	
<i>Ulocladium chartarum</i>		
<i>Urtica dioica</i>	Nettle	
<i>Vaccinium myrtillus</i>	Blueberry	
<i>Vaccinium oxycoccus</i>	Cranberry	
<i>Vanilla planifolia</i>	Vanilla	
<i>Vespa crabro</i>	European hornet	
<i>Vespula spp.</i>	Common wasp (yellow jacket)	
<i>Vespula vulgaris</i>	Common wasp, phospholipase A1	rVes v 1
<i>Vespula vulgaris</i>	Common wasp, venom, antigen 5	rVes v 5
<i>Vitis vinifera</i>	Grape	
<i>Vulpes vulpes</i>	Fox epithelium	
<i>Xanthium commune</i>	Cocklebur	
<i>Xiphias gladius</i>	Swordfish	
<i>Zea mays</i>	Maize, corn	
<i>Zingiber officinale</i>	Ginger	
<i>Ziziphus jujuba</i>	Jujube	
	Galactose-alpha-1,3-galactose	nGal-alpha-1,3-Gal
	Sugar epitope from Bromelain, CCD-marker	nMUXF3
	Parakeet droppings	
	Parakeet feathers	
	ACTH (adrenocorticotrophic hormone)	
	Amoxicilloyl	
	Ampicilloyl	
	Cefaclor	
	Cheese, cheddar type	
	Cheese, mold type	
	Chloramin T	
	Chlorhexidine	
	Chymopapain	
	Curry (Santa Maria)	



Ethylene oxide
Formaldehyde/formalin
Gelatin bovine
Gliadin
Gluten
Hexahydrophthalic anhydrid
Honey
Insulin bovine
Insulin human
Insulin porcine
Isocyanate HDI (hexamethylene diisocyanate)
Isocyanate MDI (diphenylmethane diisocyanate)
Isocyanate TDI (toluene diisocyanate)
Maleic anhydrid
MBP (maltose binding protein)
Morphine
Pancreatin
Penicillin G
Penicillin V
Peroxidase
Pholcodine
Phthalic anhydride
Rocuronium
Seminal fluid
Silk waste
Staphylococcal enterotoxin A
Staphylococcal enterotoxin B
Staphylococcal enterotoxin C
Staphylococcal enterotoxin TSST
Streptavidin
Suxamethonium (succinylcholine)
Tetanus toxoid
TetraMin®
Tobacco leaf
Trimellitic anhydride, TMA